

BULK LOG SAWHORSE



WWW.FOREST-MASTER.COM

Large Capacity Multiple Log Sawhorse



IMPORTANT: Read this manual fully before assembly and use and observe all safety rules and operating instructions



Technical Specification	2
Your Product	3
Exploded View	4
Parts List	5
Assembly	6
Operation	8
Safety	10
Warranty	11

Maximum total weight of logs	200 kg
Length	980 mm
Overall Width	540 mm
Internal Width	450 mm
Overall Height	1010 mm
Maximum log diameter	450 mm
Maximum log stack height	600 mm
Weight	14 kg



WWW.FOREST-MASTER.COM


Thank you for purchasing the Forest Master Bulk Log Sawhorse. We hope you are 100% satisfied with your product but if you have any questions or queries, please don't hesitate to contact us:

Forest Master Ltd Sales
Industry Road Heaton
Newcastle Upon Tyne
NE6 5XB

Tel: +44 (0)191 265 5000
Email: info@forest-master.com
Website: www.forest-master.com
Technical Enquiries Tel: +44 (0)191 276 6553

About Your Product

The Bulk Log Sawhorse is a large capacity sawhorse for the safe and easy chainsawing of multiple logs and branches. It can hold a stack of logs 450mm wide and 600mm high. The design ensures there is no framework below the logs that can interfere with the chainsaw.






Item	Description	Qty
1	Wood Base	2
2	Cross Bar	3
3	Upright Tube	6
4	Securing Chain	3
5	M8 x 40 Hex Head Bolt	6
6	M8 Nut	6
7	M8 Flat Washer	6



Step 1:

Assemble each of the H sections inserting two of the uprights(3) into a cross bar(2). Secure them in place using two of the M8 x 40 bolts(5), two M8 flat washers(7) and two M8 nuts(6).

Note that the tubes on the ends of the cross bar have two different size holes. When inserting the bolts you should insert them into the larger hole, so that when assembled the head of the bolt is sitting in the large hole.




Step 2:

Insert the H sections into the wooden bases(1). Note that the shorter ends of the H tubes are inserted into the bases.

On the upperside of the base there are 5 pre-drilled holes. At the ends of the base you have the option of which holes to use. The closest to the centre give you a spacing of 300mm between H sections and the outermost 375mm between H sections.

The underside of the base has 4 predrilled holes. You can purchase an extra H section from Forest Master and use the sawhorse with 4 H sections.






STEP 1:

Load the logs into the H sections so that the overhangs outside of the H sections are roughly equal.

Ensure you do not exceed the maximum total weight of logs given on page 2.

DO NOT drop the logs onto the H sections as this may damage them or the bases. The logs should be placed onto the H sections.




STEP 2:

Take a log securing chain(4) and place one loop over each of the uprights of an H section. Note that the flat part of the loop to which the chain is attached should be angled downwards.

Allow the chain to slide down the uprights so it rests on the logs.


Repeat for the remaining securing chains on the other H sections.



STEP 3:

Begin cutting the logs by sawing the overhanging ends to the required length of log then saw down between the H sections.

If the overhanging ends need to be cut into multiple logs then cut alternately from each end in order to keep the weight over the centre of the stand.





IMPORTANT: Please read these instructions carefully. Note the safe operational requirements, warnings & cautions. Use the product correctly and with care for the purpose for which it is intended. Failure to do so may cause damage and/or personal injury and will invalidate the warranty. Please keep these instructions safe for future use.

IMPORTANT SAFETY INFORMATION

Before using the log stand always check that all nuts and bolts are secure and that the log stand is not damaged.

Use the log stand on firm level ground only. Do not use on sloping or uneven ground.

After securing the logs in the log stand, check the stability and balance before starting to cut. The log stand must not be able to tilt.

Read and observe the operating instructions of the chainsaw you are using and wear all recommended safety gear. Always wear safety shoes or boots in case a log is accidentally dropped on your feet.

Only cut with the bottom of the chainsaw bar as the log may otherwise shift away from the rotating chain, become unstable and increase the risk of personal injury.

Clear and stack the sawn logs away from the log stand to keep the work area clear of obstructions and safety hazards.



IMPORTANT: Check that the logs are secure and the log stand is stable before beginning to cut.



WARNING: Do not exceed the specified maximum total log weight as given on page 2 of this manual.



This product carries a limited parts warranty for 1 year from the date of purchase. Please keep your proof of purchase as this will be required for any claim.

Should this product become defective, contact the store where it was purchased and either replacement parts will be issued, it will be repaired or it will be replaced free of charge.

IMPORTANT: NO RESPONSIBILITY IS ACCEPTED FOR INCORRECT USE OF THIS PRODUCT.

THIS WARRANTY DOES NOT COVER:

1. Any part that has become inoperative due to misuse, abuse, neglect, accident, improper maintenance, or alteration; or
2. The unit, if it has not been operated and/or maintained in accordance with the owner's manual; or
3. Normal wear;
4. Routine maintenance items such as lubricants, blade sharpening;
5. Normal deterioration of the exterior finish due to use or exposure.

TRANSPORTATION CHARGES:

Transportation charges for the movement of any power equipment unit or attachment are the responsibility of the purchaser. The purchaser must pay transportation charges for any part submitted for replacement under this warranty unless such return is requested by Forest Master.



NOTE: It is our policy to continually improve products and as such we reserve the right to alter data, specifications and component parts without prior notice.

Manufactured under license for Forest Master Limited.

Head Office:

Forest Master Ltd, Industry Road, Heaton, Newcastle Upon Tyne,
NE6 5XB, United Kingdom.

Tel: +44 191 2966939

email: info@forest-master.com - web: www.forest-master.com