FOREST MASTER

WOOD CHIPPERS. LOG SPLITTERS. GARDEN TOOLS.

N N HALF IN

0000

00

tanks MISTER


Contents

Wood Chippers & Mulchers

Domestic Wood Chippers & Mulchers	4
Professional Wood Chippers & Mulchers	6
Log Splitters	
Hydraulic Log Splitters	8
Kinetic Log Splitters	10
Manual Log Splitters	12
Woodworking Tools & Accessories	
Saw Horses & Hand Tools	14
Mesh Bags & Log Sacks	16
Garden & Outdoor Equipment	
Petrol Lawn Mowers	17
Zero Hand Trucks	18
Company & Customer Information	
Customer Testimonials	20
Our Partners	21



Visit our store



Forest Master Ltd. Industry Rd, Newcastle upon Tyne NE6 5XB

Hours: 8 am - 5:30 pm Mon - Fri

Sales enquiries: (+44) 0191 265 5000

Technical enquiries: (+44) 0191 276 6553









Or shop from the comfort of your home.

Easily order any of our products from the comfort of your home. All our orders are shipped on a next working day service to ensure you get your item as quickly as possible.



Scan the QR codes throughout to be taken directly to our store page, or, visit

www.forest-master.com.

For details regarding our shipping times and couriers, visit **www.forest-master.com/delivery.**

Domestic Wood Chippers & Mulchers

Enhanced Anti-Blocking System (Rotatable Hopper and Exit Chute)

> Adjust their position to maintain smooth material flow, reducing blockages and keeping you chipping without interruptions.



Simplify Your Garden Maintenance

Our domestic wood chippers handle branches up to 50mm (2 inches) with ease, featuring durable reversible steel blades and a direct drive system for efficiency. Their compact design ensures easy storage and manoeuvrability, making garden upkeep effortless.

Whether you're clearing seasonal debris or managing regular upkeep, our wood chippers are designed to make the task straightforward and efficient.



FM4DDE Electric Wood Chipper

FM4DDE-MUL Electric Mulcher





FM6DD Petrol Wood Chipper

FM6DD-MUL Petrol Mulcher





FM6DDES **Electric Start Petrol Mulcher**

FM6DDES-MUL **Electric Start Petrol Mulcher**





Power		
4 hp 2800 watt Electric Motor	t	
Dimensions (LxWxH)		
784 × 480 × 910 mm		
Max Diameter	Drum Speed	
50 mm / 2"	2800 rpm	
Net Weight	Warranty	
35 kg	1 Year	



Power		
6hp LCT Maxx 208cc 4 stroke Petrol engine		
Dimensions (LxWxH)		
784 × 480 × 910 mm		
Max Diameter	Drum Speed	
50 mm / 2"	3600 rpm	
Net Weight	Warranty	
38 kg	1 Year	



Professional Wood Chippers & Mulchers

Enhance Your Landscaping

Our professional wood chippers are built for the demands of commercial landscaping and forestry work. They handle larger branches with ease, featuring robust direct drive systems and high-torque engines for reliable performance.

A mulcher kit can be fitted to process green and garden waste, adding versatility to the job. Designed for durability and straightforward maintenance, these chippers are essential for professionals who need efficiency and dependability.









FM9DDES

Power

LCT Maxx 9hp 3 Stroke Petrol Eng

Dimensions (Lx

1700 × 690 × 120

FM14DDES

Power

LCT Maxx 14hp 4 Stroke Petrol End

Dimensions (Lx

1700 × 705 × 139

FM18DDES

Power

LCT Maxx 18hp 4 Stroke Petrol End

Dimensions (Lx)

1700 × 740 × 155

Wood Chipper & Mulcher Accessories

FM-HANDLE Handle Attachment

MUL-CHIP-KIT Upper Discharge Chute Kit



Domestic chippers &

mulchers only



Domestic mulchers only

Electric start petrol wood chipper

	Max Diameter	Drum Speed
06cc 4 gine	75 mm / 3"	3600 rpm
WxH)	Net Weight	Warranty
00 mm	93 kg	2 Years

Electric start petrol wood chipper

	Max Diameter	Drum Speed
460cc 4 gine	100 mm / 4"	3600 rpm
WxH)	Net Weight	Warranty
90 mm	100 kg	2 Years

Electric start petrol wood chipper

Max Diameter	Drum Speed
125 mm / 5"	3600 rpm
Net Weight	Warranty
110 kg	2 Years
	125 mm / 5" Net Weight

PRO-MUL-KIT Professional Mulcher Discharge Chute Kit



Professional models only

FM-TOW Universal Towing Attachment



Hydraulic Log Splitters

Our hydraulic log splitters range from 5 to 22 tons, handling everything from small logs to heavy-duty splitting. The FM10 and FM16 feature our unique DuoCut[™] blade for increased efficiency, while the X4 and 8VE models can be fitted with a 4-way cutting blade for faster processing. Built for reliability and ease of use, they make log splitting effortless.

Whether you're preparing firewood for the winter, or managing large-scale wood processing projects, our hydraulic log splitters are designed to make the task straightforward and efficient.



Splitting Force	Max Log Length	
5 ton	300 mm	
Motor	Voltage	
2200 watt	220-240 V	
Weight	Warranty	
38 kg	1 Year	
Dimensions (LxWxH)		

710 × 270 × 510 mm



FM8

plitting orce	Max Log Length	
ton	370 mm	
lotor	Voltage	
200 watt	220-240 V	
Veight	Warranty	
0 kg	1 Year	
imensions (LxWxH)		
80 x 270 x 510 mm		

780 × 270 × 510 mm



FM10

Splitting Force	Max Log Length	
7 ton	450 mm	
Motor	Voltage	
2200 watt	220-240 V	
Weight	Warranty	
47 kg	2 Years	
Dimensions (LxWxH)		

940 × 270 × 510 mm



Max Log

Length

450 mm



FM16 Splitting Force 8 ton Motor

Voltage 220-240 V 2300 watt Weight Warranty 75 kg 3 Years Dimensions (LxWxH)

1060 × 280 × 525 mm

FMX4-PRO

Splitting Force	N L
8 ton	Z
Motor	١
2300 watt	2
Weight	۷
74.4 kg	З

Dimensions (LxWxH)

1060 × 280 × 525 mm

*Includes additional 4-way cutting and obtuse blade attachments.



FM5





FM5, 8, 10, 16 & X4-PRO Log splitters can also be purchased with a stand for easier splitting & easy movement.

All-terrain stands now available!



450 mm

Voltage

220-240 V

Warranty

3 Years



FM8VE

Splitting Force	Max Log Length	
8 ton	450 mm	
Motor	Voltage	
2300 watt	220-240 V	
Weight	Warranty	
111 kg	2 Years	
Dimensions (LxWxH)		

845 × 935 × 1500 mm







FM22PVT

Splitting Force	Max Log Length	
22 ton	1100 mm	
Weight	Warranty	
299 kg	2 Years	
Motor		
LCT EURO 5 lean-burn 263cc petrol engine		
Dimensions (LxWxH)		
812 × 686 × 1905 mm		
*Available with trailer attachment		

FM8FFE

Splitting Force	Max Log Length
8 ton	520 mm
Weight	Warranty
94 kg	2 Years
Motor	
2200 Watt Electric Motor	
Dimensions (LxWxH)	

1420 × 390 × 640 mm

FM8FF-HTW

Splitting Force	Max Log Length
8 ton	520 mm
Weight	Warranty
100 kg	2 Years
Motor	
Honda GX35 4-stroke engine	
Dimensions (LxWxH)	

1420 × 390 × 640 mm



Kinetic Log Splitters

Our kinetic log splitters deliver exceptional speed and efficiency for your wood processing needs. With an impressive 3-second cycle time, these machines significantly reduce the time and effort required for splitting logs.


The 8-ton electric model operates on standard domestic mains power, offering convenience and ease of use. For greater mobility, the 8-ton petrol variant is equipped with a reliable Honda engine, ensuring robust performance in various settings.



Manual **Log Splitters**

Our manual log splitters offer efficient, fuelfree solutions for processing firewood. The FMSS model provides a safe, easy-to-use alternative to traditional axes, featuring a drop weight design that delivers controlled, effective splitting. For kindling needs, the FM9LS offers precision and safety, allowing for effortless preparation of smaller wood pieces. Both models are lightweight and easy to store, making them ideal for home users seeking a simple, low-maintenance way to prepare firewood.





Note: for our manual log splitters you will need a sturdy base to secure the item. We recommend using a suitable log stump or similar.







JSBB Splitting base	USAB Splitting base
Blade Width	Blade Width
55 mm	80 mm
Overall Height	Overall Height
105 mm	178 mm
Suitable For	Suitable For
Logs up to 250 mm	Logs up to 300



FMMS Swedish Log Splitter

FMSS

Blade Width	Blade Width
55 mm	55 mm
Overall Height	Overall Height
1370 mm	1370 mm
Suitable For	Suitable For
Logs up to 550 mm	Logs up to 550 mm



FM9LS Splitting base



Blade Width

75 mm

Overall Height

229 mm

Suitable For

Logs up to 350 mm



Swedish Log Splitter + USBB





FM-SG Splitting Base Guard

Improved safety & prevents logs from falling away after splitting. Height adjustable, ensuring compatibility with any splitting base.





Max Weight

Max Height

FMLL

FMLJ

Max Diameter

Handle Length

Max Diameter



BLS-2H

Max Weight
Max Height
Max Diameter





USH

Max Length Max Weight **Max Diameter**



Max Load

500 mm

1220 mm





FM-BPS Battery Pruning Shears

Max Cut Diameter	Working Time
40 mm	1 hr*
Voltage	Charge Time
21 V	30 min*
Weight	Warranty
2 kg	1 Year

FOREST MASTER



FM-CS6 6" Battery Chainsaw

Max Cut Diameter	Working Time	Max Cut Diameter
140 mm	1 hr*	400 mm
Voltage	Charge Time	Voltage
21 V	30 min*	42 V
Weight	Warranty	Weight
2 kg	1 Year	5 kg

Keep working without interruption - spare batteries available now.

FM-CS16

16" Battery Chainsaw

Working Time

Charge Time

1 hr*

30 min*

Warranty

1 Year

*All charge and working times are approximate, and will vary based on use.



250 kg

460 mm

395 mm



BJL25

150 kg 365 mm 395 mm

Max Diameter Mount Thickness

150 mm

15-25 mm



QSH

6 m 300 kg 360 mm

Max Length
Max Weight
Max Diameter

4 m 150 kg 250 mm




15

Mesh Bags & Log Sacks

Polypropylene Mesh Bags

Size (mm): Colours: 35×50, 50×60, 55×80 Green, Orange, Purple, Red, Yellow





UV Stabilised

High Strength Breathable



Ventilated Bulk Bags

Equipped with four lifting loops for easy transportation with a forklift, or our patented Zero Hand Truck and bag loader attachment

Perfect for Firewood: Ideal dimensions and design specifically for log storage.

Size (mm):















Woven Firewood Jumbo Bag

Dries firewood to below 20% moisture: Essential for safe, clean, and efficient burns.

Heavy-duty and rot-proof: Tough construction that stands up to harsh conditions and repeated use.

Size (mm):

250×400×500



Rot-proof



Prevents Mould B







Petrol Lawn Mowers



Precision Cutting Control

Experience precision mowing like never before with our remote control lawn mower. Effortlessly customise cutting heights from 30mm to 150mm, all from the convenience of your remote.

Enjoy safe and efficient mowing with an extensive remote range, ensuring a perfectly manicured lawn every time.

FM600S

Self-Propelled Flail Mower

Cutting Width	Engine
120 mm	LCT 8HP 263cc petrol engine
Cutting Height	Fuel Capacity
15-75 mm	0.63 L
Weight	Dimensions (LxWxH)
145 kg	2076 × 933 × 1106 mm

16



MM-LM550

Remote Control Lawn Mower

Track Width	Remote control range
120 mm	300 m
Top Speed	Engine
0.45 km/h	Loncin 7 hp 224cc petrol engine
Weight	Dimensions (LxWxH)
133 kg	910 × 890 × 520 mm



Zero Pro Hand Truck

The Zero Pro Hand Truck is a versatile 2-in-1 tool, functioning as both a sack barrow and a platform trolley. It boasts a weight capacity of up to 300 kg as a sack truck and 500 kg as a trolley, making it ideal for largescale logistics and warehouse operations. Equipped with the patented Zero Pivot System, it allows effortless tilting and manoeuvrability, reducing strain during use.



Accessories

Enhance your Zero Pro Hand Truck with accessories like mesh boards for smaller items and attachments for handling specific loads.





Chair carrier ZPHT-CCA



Bag loader ZPHT-BLA



Extension plate ZPHT-EPA



Greedy boards GREEDY-BOARD-MESH



Keg Mover ZKMHT



Zero High Lift **Pallet Truck**

Lift loads up to 200kg with ease using the spring-loaded bottle jack and hydraulic foot pump.

Adjustable forks raise items up to 92cm, perfect for heavy appliances, kegs, and confined spaces where forklifts can't go. Compact and ideal for home or light industrial use.

Zero Gas Cylinder Hand Truck

Built to handle up to 150kg, this heavy-duty trolley keeps cylinders upright and secure.

With puncture-proof wheels and a rugged frame, it's designed for safe, stable movement in demanding environments.

Zero Compact Folding Hand Truck

Lightweight yet strong, with a telescopic handle and highstrength frame. Folds flat for easy storage and is ready to go straight out of the box.

Ideal for quick transport tasks where space is tight.

A word from our customers





"I am a lady on her own using this for my domestic use only, but endeavouring to become more self sufficient. Your product gave me confidence I could use it myself, so I decided to purchase your wood splitter."

FM10

Mary Connelly Customer, Age 75



"

The FM6DD has quickly become one of my absolute essentials. Having such a portable yet powerful chipper to move around the garden allows me to quickly process prunings and create large volumes of woodchips to use for pathways, composting, and mulching. I regret not getting one sooner!

Huw Richards

Author, YouTube Creator



FM6DD



1 SOLAR MASTER Portable Power Stations

The Solar Master 2400, with a maximum surge capacity of 4800W, is capable of powering a Forest Master hydraulic log splitter for up to 8 hours, making it ideal for extended outdoor tasks.

www.solar-master.co.uk



Solar Master power stations provide reliable, renewable energy solutions for various applications.



٨

current

0



Portable EV chargers offer flexible and efficient charging solutions for electric vehicle owners.

The LITE10 Series provides a fixed 10A current for straightforward, plug-and-play charging. For those seeking adjustable options, the MAX32 Series allows current settings between 6A and 32A, featuring smart connectivity for enhanced control. Both models are weatherproof and designed for durability, ensuring reliable performance in various conditions.



RELIGHTER

The Stove Fan Company offers a range of products designed to enhance your stove experience. Their heat-powered stove fans efficiently circulate warm air, improving heating efficiency without the need for external power.

Additionally, they provide eco-friendly firelighters for clean ignition; essential accessories such as thermometers and air quality monitors for optimal stove performance, and fragrances to add a pleasant aroma to your living space.

www.stovefancompany.com

TOVE FAN COMPANY

ECO FRIENDLY

FIRELIGHTERS







Sales Enquiries info@forest-master.com (+44) 0191 265 5000



Technical Enquiries technical@forest-master.com (+44) 0191 276 6553



Forest Master Ltd. Industry Rd Heaton Newcastle Upon Tyne NE6 5XB

www.forest-master.com

Issue date 14/04/2025