

# **Contents**

#### **Wood Chippers & Mulchers**

Domestic Wood Chippers & Mulchers	4
Professional Wood Chippers & Mulchers	6

#### **Log Splitters**

Hydraulic Log Splitters	8
Kinetic Log Splitters	10
Manual Log Splitters	12

#### **Woodworking Tools & Accessories**

Saw Horses & Hand Tools	14
Mesh Bags & Log Storage	16

#### **Garden & Outdoor Equipment**


Outdoor Covers & Netting	17
Petrol Lawn Mowers	18
Zero Hand Trucks	20

#### **Company & Customer Information**

Customer Testimonials	22
Our Partners	23



# Visit our store




Forest Master Ltd. Industry Rd, Newcastle upon Tyne NE6 5XB

Hours: 8 am - 5:30 pm Mon - Fri

Sales enquiries: (+44) 0191 265 5000

Technical enquiries: (+44) 0191 276 6553





# Or shop from the comfort of your home.

Easily order any of our products from the comfort of your home. All our orders are shipped on a next working day service to ensure you get your item as quickly as possible.



Scan the QR codes throughout to be taken directly to our store page, or, visit

www.forest-master.com.

For details regarding our shipping times and couriers, visit www.forest-master.com/delivery.



# Simplify Your Garden Maintenance

Our domestic wood chippers handle branches up to 50mm (2 inches) with ease, featuring durable reversible steel blades and a direct drive system for efficiency. Their compact design ensures easy storage and manoeuvrability, making garden upkeep effortless.

Need extra punch for bigger jobs? Choose the FM8DD for greater torque and faster throughput.



#### FM4DDE Electric Wood Chipper



# FM4DDE-MUL Electric Mulcher



#### Power

4 hp 2800 watt Electric Motor

#### Dimensions (LxWxH)

784 × 480 × 910 mm

Max Diameter Drum Speed

50 mm / 2" 2800 rpm

Net Weight Warranty

35 kg 1 Year

FM6DD Petrol Wood Chipper



FM6DD-MUL
Petrol Mulcher



#### **Power**

6hp LCT Maxx 208cc 4 stroke Petrol engine

#### **Dimensions (LxWxH)**

784 × 480 × 910 mm

Max Diameter Drum Speed

Warranty

50 mm / 2" 3600 rpm

38 kg 1 Year

**Net Weight** 

\*Available with electric start

FM8DD

2 in 1 Petrol Wood Chipper & Mulcher\*





\*In the UK and EU, the included CE safety plate limits branch diameter to 50 mm to meet safety regulations.

#### Power

8hp LCT Maxx 263cc 4 stroke Petrol engine

#### **Dimensions (LxWxH)**

980 × 540 × 1050 mm

Max Diameter | Drum Speed


70 mm / 2.75"\* 3600 rpm

70 mm / 2.73 3000 rpm

Net Weight | Warranty

51 kg 1 Year

\*With mulching kit accessory



# **Enhance Your Landscaping**

Our professional wood chippers are built for the demands of commercial landscaping and forestry work. They handle larger branches with ease, featuring robust direct drive systems and high-torque engines for reliable performance.

A mulcher kit can be fitted to process green and garden waste, adding versatility to the job. Designed for durability and straightforward maintenance, these chippers are essential for professionals who need efficiency and dependability.





#### FM9DDES

Electric start petrol wood chipper

Power	Max Diamet	ter Drum Speed
LCT Maxx 9hp 306cc 4 Stroke Petrol Engine	75 mm / 3"	3600 rpm
Dimensions (LxWxH)	Net Weight	Warranty
1700 × 690 × 1200 mm	93 kg	2 Years



#### FM14DDES

Electric start petrol wood chipper

Power	Max Diameter	Drum Speed
LCT Maxx 14hp 460cc 4 Stroke Petrol Engine	100 mm / 4"	3600 rpm
Dimensions (LxWxH)	Net Weight	Warranty
1700 × 705 × 1390 mm	100 kg	2 Years



#### FM18DDES

Electric start petrol wood chipper

Power	Max Diameter	Drum Speed
LCT Maxx 18hp 478cc 4 Stroke Petrol Engine	125 mm / 5"	3600 rpm
Dimensions (LxWxH)	Net Weight	Warranty
1700 × 740 × 1550 mm	110 kg	2 Years

# **Wood Chipper & Mulcher Accessories**

**FM-HANDLE** Handle Attachment



Domestic chippers &

mulchers only

Domestic mulchers only

**MUL-CHIP-KIT** 

Upper Discharge

Chute Kit

**PRO-MUL-KIT**Professional Mulcher
Discharge Chute Kit



Professional models only

FM-TOW Universal Towing Attachment









FIMIS		
Splitting Force	Max Log Length	
5 ton	300 mm	
Motor	Voltage	
2200 watt	220-240 V	
Weight	Warranty	
38 kg	1 Year	
Dimensions (LxWxH)		

710 × 270 × 510 mm



FM8

Splitting Force	Max Log Length
5 ton	370 mm
Motor	Voltage
2200 watt	220-240 V
Weight	Warranty
40 kg	1 Year
Dimensions (LxWxH)	
780 × 270 × 510 mm	



		_
F٨	41	$\mathbf{\Lambda}$
$ \sim$	/	
	,	$\mathbf{}$

Splitting Force	Max Log Length
7 ton	450 mm
Motor	Voltage
2200 watt	220-240 V
Weight	Warranty
47 kg	2 Years
Dimensions (LxWxH)	

940 × 270 × 510 mm





Splitting Force	Max Log Length
8 ton	450 mm
Motor	Voltage
2300 watt	220-240 V
Weight	Warranty
75 kg	3 Years
Dimensions (LxWxH)	

1060 × 280 × 525 mm



#### FMX4-PRO

Splitting Force	Max Log Length
8 ton	450 mm
Motor	Voltage
2300 watt	220-240 V
Weight	Warranty
74.4 kg	3 Years
Dimensions (LxWxH)	

1060 × 280 × 525 mm

\*Includes additional 4-way cutting and obtuse blade attachments.



Splitting Force	Max Log Length
8 ton	450 mm
Motor	Voltage
2300 watt	220-240 V
Weight	Warranty
111 kg	2 Years
Dimensions (LxWxH)	

845 × 935 × 1500 mm

\*4-Way cutting and obtuse blade attachments available separately



#### FM22PVT

<b>Splitting Force</b>	Max Log Length
22 ton	1100 mm
Weight	Warranty
299 kg	2 Years
Motor	

LCT EURO 5 lean-burn 263cc petrol engine

#### Dimensions (LxWxH)

812 × 686 × 1905 mm

\*Available with trailer & table attachments \*Log Lifter attachment included



#### FM8FFE

<b>Splitting Force</b>	Max Log Length
8 ton	520 mm
Weight	Warranty
94 kg	2 Years
Motor	
2200 Watt Electric Motor	

#### Dimensions (LxWxH)

1420 × 390 × 640 mm

1420 × 390 × 640 mm



#### FM8FF-HTW

<b>Splitting Force</b>	Max Log Length
8 ton	520 mm
Weight	Warranty
100 kg	2 Years
Motor	
Honda GX35 4-strok	e engine
Dimensions (LxWxF	1)



# Manual Log Splitters

Our manual log splitters offer efficient, fuel-free solutions for processing firewood. The FMSS model provides a safe, easy-to-use alternative to traditional axes, featuring a drop weight design that delivers controlled, effective splitting. For kindling needs, the FM9LS offers precision and safety, allowing for effortless preparation of smaller wood pieces. Both models are lightweight and easy to store, making them ideal for home users seeking a simple, low-maintenance way to prepare firewood.

**Note:** for our manual log splitters you will need a sturdy base to secure the item. We recommend using a suitable log stump or similar.









**FM-SG**Splitting Base Guard

Improved safety & prevents logs from falling away after splitting. Height adjustable, ensuring compatibility with any splitting base.



**USAB**Splitting base

#### Blade Width

80 mm

#### Overall Height

178 mm

#### Suitable For

Logs up to 300 mm



FM9LS Splitting base

#### **Blade Width**

75 mm

#### Overall Height

229 mm

#### **Suitable For**

Logs up to 350 mm



**FMXLS**Splitting base

#### **Blade Width**

75 × 85 mm

#### **Overall Height**

205 mm

#### **Suitable For**

Logs up to 350 mm





#### Blade Width

55 mm

#### Overall Height

105 mm

#### **Suitable For**

Logs up to 250 mm



FMMS Swedish Log Splitter

#### **Blade Width**

55 mm

#### **Overall Height**

1370 mm

#### Suitable For

Logs up to 550 mm



FMSS Swedish Log Splitter + USBB

#### **Blade Width**

55 mm

#### **Overall Height**

1370 mm

#### **Suitable For**

Logs up to 550 mm





**FM-BPS Battery Pruning Shears** 

Max Cut Diameter	Working Time
40 mm	1 hr*
Voltage	Charge Time
21 V	30 min*
Weight	Warranty
2 kg	1 Year





FM-CS6 6" Battery Chainsaw

Max Cut Diameter	Working Time
140 mm	1 hr*
Voltage	Charge Time
21 V	30 min*
Weight	Warranty
2 kg	1 Year

**Working Time Max Cut** Diameter 400 mm 1 hr\* **Charge Time** Voltage 42 V 30 min\* Weight Warranty 5 kg 1 Year

FM-CS16

16" Battery Chainsaw

Keep working without interruption - spare batteries available now.

\*All charge and working times are approximate, and will vary based on use and environment.



BLS-3H

**Max Weight** 250 kg 460 mm **Max Height Max Diameter** 395 mm



150 kg

365 mm

395 mm

BLS-2H

Max Weight Max Height **Max Diameter** 



BJL25

**Max Diameter** Mount

150 mm

15-25 mm **Thickness** 



**FMLL** 

**Max Diameter** 500 mm **Handle Length** 1785 mm



#### **USH**

Max Length 6 m Max Weight 300 kg **Max Diameter** 360 mm



**QSH** 

Max Length 4 m Max Weight 150 kg **Max Diameter** 250 mm



**FMLJ** 

**Max Diameter** 500 mm 1220 mm **Handle Length** 

**FMFJ Max Load** 3000 kg **Max Lift Height** 1 m



FM3-LP

Max Load **Max Lift Height** 

1 m

3000 kg



# Mesh Bags & Log **Storage**



#### Polypropylene Mesh Bags

35×50, 50×60, 55×80 Size (mm): Colours: Green, Orange, Purple, Red, Yellow



#### **Woven Firewood Jumbo Bag**

Dries firewood to below 20% moisture: Essential for safe, clean, and efficient burns.

Heavy-duty and rot-proof: Tough construction that stands up to harsh conditions and repeated use.

Size (mm): 250×400×500



#### **Ventilated Bulk Bags**

Equipped with four lifting loops for easy transportation with a forklift, or our patented Zero Hand Truck and bag loader attachment

Perfect for Firewood: Ideal dimensions and design specifically for log storage.

Size (mm): 480×480×900



#### **Garden cart**

Heavy-duty cart with fold-down mesh sides for easy loading and unloading of long, bulky or heavy items.

Strong construction for demanding use, with large wheels for smooth movement over uneven ground.

Bed Size (mm): 600×1200 Cart Height (mm): 510



#### **Weed Control** Membrane



#### **Sun Shade** Sails



#### **Barrier Safety** Mesh



Heavy-duty landscape fabric for weed prevention, available in multiple widths and lengths.

Durable, UV-resistant and low maintenance. Designed for beds, paths, tree rings and borders.

Made from tear-resistant,

spaces.

weatherproof material for longterm use in gardens, patios, campsites and more.

comfortable shelter in outdoor

UV-resistant shade sails

designed to provide cool,

Size (m):  $2-4 \times 2-6$ Colours: Beige, Grey

Highly visible temporary fencing ideal for marking off restricted zones, event perimeters, or hazards on-site.

Lightweight, flexible and easy to handle, it's the quick solution for safety and control.

1×50, 2×50 Size (m): Colours: Orange, Green

#### Bird & Mole **Netting**

Size (m):

Colours:



 $1-4 \times 5-50$ 

Green, Orange

#### **Scaffolding** Mesh



**Multi Purpose Tarpaulin** 



Heavy-duty fine-mesh netting to protect crops, lawns, ponds and allotments from birds and burrowing pests.

Heavy-duty green roll of 60 GSM scaffold debris netting.

Breathable yet strong, reduces wind penetration while allowing airflow.

Robust, waterproof 100 gsm polyethylene tarp, green colour with reinforced grommets.

1×200, 2×200 Size (m): 2×50 Size: 4 - 10 ft x 6 - 20 ft Size (m):

 $(1.2 - 3 \text{ m} \times 1.8 \times 6 \text{ m})$ 



# **Precision Cutting Control**

Experience precision mowing like never before with our remote control lawn mower. Effortlessly customise cutting heights from 30mm to 150mm, all from the convenience of your remote.

Autopilot keeps every pass perfectly straight, giving you a flawless, professional-looking lawn with minimal effort.

#### MM-800

Remote Control Lawn Mower

<b>Cut Width</b>	Remote control range
800 mm	300 m
Top Speed	Engine
4 km/h	Loncin 452cc 16hp petrol engine
Weight	Dimensions (LxWxH)
300 kg	1180 × 1160 × 690 mm

#### FM-800F

Remote Control Flail Mower

<b>Cutting Width</b>	Remote control range
780 mm	300 m
Top Speed	Engine
5 km/h	LCT 18hp 478cc petrol engine
Weight	Dimensions (LxWxH)
310 ka	1750 × 940 × 680 mm

# **Built for Tougher Terrain**

Flail mowers are designed for environments where standard mowers fall short, tackling dense vegetation, uneven terrain, and overgrown paddocks with ease.

Their robust construction and wide cutting range make them the professional choice for heavyduty land management.

#### **MM-NS550**

Remote Control Lawn Mower

Nemote Contro	Remote Control Lawn Mower	
<b>Cut Width</b>	Remote control range	
550 mm	300 m	
<b>Top Speed</b>	Engine	
0.45 km/h	Loncin 7 hp 224cc petrol engine	
Weight	Dimensions (LxWxH)	
140 kg	910 × 890 × 520 mm	





#### FM-600s

Self-Propelled Flail Mower

<b>Cutting Width</b>	Engine
600 mm	LCT 8hp 263cc petrol engine
<b>Cutting Height</b>	Fuel Capacity
15-75 mm	0.63 L
Weight	Dimensions (LxWxH)
145 kg	2076 × 933 × 1106 mm

# **Zero Pro Hand Truck**

The Zero Pro Hand Truck is a versatile 2-in-1 tool, functioning as both a sack barrow and a platform trolley. It boasts a weight capacity of up to 300 kg as a sack truck and 500 kg as a trolley, making it ideal for large-scale logistics and warehouse operations. Equipped with the patented Zero Pivot System, it allows effortless tilting and manoeuvrability, reducing strain during use.



# **Accessories**

Enhance your Zero Pro Hand Truck with accessories like mesh boards for smaller items and attachments for handling specific loads.





**Chair carrier** ZPHT-CCA



**Bag loader** ZPHT-BLA



Extension plate
ZPHT-EPA
GREEDY-I



**Greedy boards**GREEDY-BOARD-MESH



**Keg Mover** ZKMHT



## Zero High Lift Pallet Truck

Lift loads up to 200kg with ease using the spring-loaded bottle jack and hydraulic foot pump.

Adjustable forks raise items up to 92cm, perfect for heavy appliances, kegs, and confined spaces where forklifts can't go. Compact and ideal for home or light industrial use.

### Zero Gas Cylinder Hand Truck

Built to handle up to 150kg, this heavy-duty trolley keeps cylinders upright and secure.

With puncture-proof wheels and a rugged frame, it's designed for safe, stable movement in demanding environments.

## Zero Compact Folding Hand Truck

Lightweight yet strong, with a telescopic handle and highstrength frame. Folds flat for easy storage and is ready to go straight out of the box.

Ideal for quick transport tasks where space is tight.

## A word from our customers







"I am a lady on her own using this for my domestic use only, but endeavouring to become more self sufficient. Your product gave me confidence I could use it myself, so I decided to purchase your wood splitter."

#### Mary Connelly Customer, Age 75



"

The FM6DD has quickly become one of my absolute essentials. Having such a portable yet powerful chipper to move around the garden allows me to quickly process prunings and create large volumes of woodchips to use for pathways, composting, and mulching. I regret not getting one sooner!



Author, YouTube Creator



#### FM6DD





# Compact. Reliable. Efficient.

Adjustable chargers for type 2 EVs

Portable EV chargers offer flexible and efficient charging solutions for electric vehicle owners.

The LITE10 Series provides a fixed 10A current for straightforward, plug-and-play charging. For those seeking adjustable options, the MAX32 Series allows current settings between 6A and 32A, featuring smart connectivity for enhanced control. Both models are weatherproof and designed for durability, ensuring reliable performance in various conditions.



Viking Ember

# **STOVE FAN**COMPANY

At Stove Fan Company, we create products that elevate your stove experience. Our heat-powered stove fans circulate warm air more efficiently, helping to improve comfort and reduce energy use, all without the need for electricity.

We also offer a range of eco-friendly firelighters, stove accessories such as thermometers and air quality monitors, and our essential fragrances to bring warmth, efficiency, and atmosphere to your living space.



**Satin Black** 




**Stainless Steel** 

All stove fans are available in 3 stunning finishes.



**Brushed Bronze** 



Viking



**Mini Viking** 



Super Fast



# SOLAR MASTER PORTABLE POWER STATION

**Wireless Charging LED Screen** Pad **Carry Handle LiFePO4** Battery (GEN300, 600, 1200) **®SOLARMASTER** 230 V AC Output Type A & C 5 & 12 V **DC Output** 





# **10** SOLAR MASTER Portable Power Stations

Solar Master power stations provide reliable, renewable energy solutions for various applications.

The Solar Master 2400, with a maximum surge capacity of 4800W, is capable of powering a Forest Master hydraulic log splitter for up to 8 hours, making it ideal for extended outdoor tasks.

www.solar-master.co.uk





Sales Enquiries info@forest-master.com (+44) 0191 265 5000



Technical Enquiries technical@forest-master.com (+44) 0191 276 6553



Forest Master Ltd.
Industry Rd
Heaton
Newcastle Upon Tyne
NE6 5XB

www.forest-master.com

Issue date 15/08/2025